



**WALL
FINISH
PROFESSIONALS**

Crap & Win!
iPad Pro
Check out our contest!
suzuka.com.my/promotion | T&C Apply



suzuka.com.my

Instagram Facebook [suzuka.group](https://www.facebook.com/suzuka.group) | Hotline : +6012 - 258 7388

* Photos of the products shown in the brochure are based on the scale of 1:12
* May vary in color due to lighting condition and printing.
We suggest you examine actual product samples before ordering.



STONE-E24-2311



KASTONE
STONE VENEER COLLECTION



EDITION 24



SUZUKA® | WALL FINISH PROFESSIONALS

SUZUKA® Malaysia belongs to the SUZUKA® Group, which holds manufacturing companies in Taiwan, Malaysia, and Thailand. As one of South East Asia's leading manufacturers in decorative building materials, SUZUKA® Malaysia's expertise in wall finishes dates back to its origins in the town of Suzuka, Japan, after World War II. Specializing in a wide range of stone veneers, waterproofing materials, and textured coatings, we offer durable products that are suitable for decorating and protecting both the interiors and exteriors of your homes and commercial buildings.

Not only do our products cater to buildings of various aesthetics and designs, but they also exceed international quality and safety standards. Armed with protection against UV damage, water seepage, dust, dirt and stains, we lower potential maintenance costs in the future. In addition to being an ISO 9001 certified company, we also carry a selection of SIRIM QAS certified products and a range of environmentally-friendly products certified by Singapore Green Label and SIRIM Eco Label.

Within the past decade, we've become an international supplier to number of regions, including Australia, Saudi Arabia, Thailand, Cambodia, Qatar, the United Arab Emirates, Bahrain, Indonesia, Singapore, and West Africa.

To experience why SUZUKA® products are trusted around the world, choose from our extensive range of coatings and artificial stone veneers.



BRICK & STONE VENEER • TEXTURED PAINT • KASTANEL • ECES • TEXTURE COATING • PEBBLE STONE COATING

KASTONE®

KASTONE® products range from classic brick styles to timeless stone designs. Our brick and stone veneer collections showcase a wide variety of colours, shapes, and textures, catering to any interior or exterior space.

KASTONE® veneers are authentic in appearance and feel, as each piece is uniquely crafted to mirror natural stones and bricks. Comprised only of premium raw materials, our veneers' lightweight and durable nature streamlines the installation process while minimizing costs and maintenance work.

Corner Brick



Flat Brick



**NEW
SERIES**



WS-3001



WS-3002




WS-3003




WS-3004

**RECOMMENDED
INSTALLATION DESIGN**

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.




DS-191



DS-192

**RECOMMENDED
INSTALLATION DESIGN**

- Arrange the stones in a random pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour

WS-300 Coverage (Per Box) : **10.5 ~ 10.7 sqf** | Weight (Per Box) : **25.2 kg** | Pieces (Per Box) : **14 pcs**



WS-3005



KST-1001



KST-1002




KST-1003A



KST-1004A

RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour.

KST-100 Coverage (Per Box) : **7.6 ~ 7.8 sqf** | Weight (Per Box) : **22 kg** | Pieces (Per Box) : **6 pcs**




DS-401



DS-402

RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour.

DS-40 Coverage (Per Box) : **6.9 ~ 7.6 sqf** | Weight (Per Box) : **23 kg** | Pieces (Per Box) : **14 pcs**



DS-403

*May vary in colour due to lighting conditions and printing. Please examine product samples prior to ordering.



DS-001



DS-002




DS-003



DS-004

RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).




Please allow a +/- 5% tolerance for stone size and colour

DS-00 Coverage (Per Box) : **6.9 ~ 7.6 sqf** | Weight (Per Box) : **23 kg** | Pieces (Per Box) : **14 pcs**



RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour

DS-01 Coverage (Per Box) : **5.9 ~ 6.5 sqf** | Weight (Per Box) : **21 kg** | Pieces (Per Box) : **12 pcs**



DS-011



DS-013



DS-015



DS-016



DS-017



DS-018

*May vary in colour due to lighting conditions and printing. We suggest you examine product samples before ordering.



DS-301



DS-302



DS-303



DS-304



RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour

DS-30 Coverage (Per Box) : 7.2 ~ 7.8 sqf | Weight (Per Box) : 27 kg | Pieces (Per Box) : 16 pcs




DS-305



DS-306

RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour
The packing coverage and length for WS-100 & WS-200 are inclusive of 1.5cm groove lines

WS-100 Coverage (Per Box) : 4.8 sqf | Weight (Per Box) : 17kg | Pieces (Per Box) : 12 pcs
WS-200 Coverage (Per Box) : 4.6 sqf | Weight (Per Box) : 17kg | Pieces (Per Box) : 24 pcs



WS-1001



WS-2001

*May vary in colour due to lighting conditions and printing. We suggest you examine product samples before ordering.



DS-801



DS-802



DS-804



DS-805



DS-806



DS-807



DS-808



DS-809



RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.



Please allow a +/- 5% tolerance for stone size and colour

DS-80 Coverage (Per Box) : **10.5 ~ 10.8 sqf** | Weight (Per Box) : **32 kg** | Pieces (Per Box) : **35 pcs**



SIZES

A1 : 9.0 x 19.0 cm

A2 : 9.0 x 28.0 cm

A3 : 9.0 x 48.0 cm

B1 : 7.0 x 19.0 cm

B2 : 7.0 x 28.0 cm

B2 : 7.0 x 48.0 cm

C1 : 5.0 x 19.0 cm

C2 : 5.0 x 28.0 cm

C3 : 5.0 x 48.0 cm



DS-071



DS-072



DS-073




DS-074



DS-075



DS-062



DS-201





DS-171



DS-172

RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.




Please allow a +/- 5% tolerance for stone size and colour.
The packing coverage and length for DS-07XX are inclusive of 1cm groove lines

DS-07 Coverage (Per Box) : **5.9 ~ 6.3 sqf** | Weight (Per Box) : **21 kg** | Pieces (Per Box) : **12 ~ 14 pcs**

RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.




Please allow a +/- 5% tolerance for stone size and colour.
The packing coverage and length for DS-06XX & DS-17X are inclusive of 1cm groove lines

DS-06 Coverage (Per Box) : **6.3 ~ 6.7 sqf** | Weight (Per Box) : **27 kg** | Pieces (Per Box) : **21 ~ 24 pcs**
DS-17 Coverage (Per Box) : **5.9 ~ 6.3 sqf** | Weight (Per Box) : **22 kg** | Pieces (Per Box) : **24 ~ 27 pcs**

RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.



Please allow a +/- 5% tolerance for stone size and colour.

DS-20
Coverage (Per Box) : **6.2 ~ 6.5 sqf** | Weight (Per Box) : **23 kg** | Pieces (Per Box) : **6 ~ 9 pcs**



DS-041



DS-044



DS-045



DS-047




RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.



Please allow a +/- 5% tolerance for stone size and colour

DS-04 Coverage (Per Box) : **7.0 ~ 7.4 sqf** | Weight (Per Box) : **22 kg** | Pieces (Per Box) : **17 ~ 21 pcs**



*Has been trimmed

SIZES

A : 4.7 x 4.7 cm	M : 24.5 x 29.0 cm
B : 4.7 x 9.8 cm	N : 19.5 x 29.0 cm
C : 4.7 x 14.5 cm	O : 19.5 x 19.5 cm
D : 9.8 x 9.8 cm	P : 25.0 x 34.5 cm
E : 9.8 x 14.5 cm	Q : 20.0 x 15.0 cm
F : 9.8 x 19.5 cm	R : 20.0 x 35.0 cm
G : 9.8 x 29.0 cm	S : 15.0 x 15.0 cm
H : 14.5 x 19.5 cm	T : 20.0 x 25.0 cm
I : 14.5 x 24.5 cm	U : 24.0 x 10.0 cm
J : 14.5 x 29.5 cm	V : 24.0 x 24.0 cm
K : 29.0 x 40.0 cm	W : 29.0 x 40.0 cm
L : 29.0 x 29.0 cm	


RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.



Please allow a +/- 5% tolerance for stone size and colour.

DS-03 Coverage (Per Box) : **6.8 ~ 7.2 sqf** | Weight (Per Box) : **26 kg** | Pieces (Per Box) : **19 ~ 23 pcs**



DS-031



DS-034




DS-021



DS-024

RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.



Please allow a +/- 5% tolerance for stone size and colour.

DS-021	Coverage (Per Box) : 6.2 ~ 6.5 sqf	Weight (Per Box) : 22 kg	Pieces (Per Box) : 17 ~ 21 pcs
DS-024	Coverage (Per Box) : 5.8 ~ 6.2 sqf	Weight (Per Box) : 26 kg	Pieces (Per Box) : 20 ~ 24 pcs



DS-601



DS-605




DS-607



DS-608

RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



Please allow a +/- 5% tolerance for stone size and colour.

DS-60	Coverage (Per Box) : 6.1 ~ 6.5 sqf	Weight (Per Box) : 24 kg	Pieces (Per Box) : 12 pcs
--------------	---	---------------------------------	----------------------------------



DS-609



DS-111



DS-114



DS-116



DS-117



PS-2001



PS-2002




PS-2004



PS-2005

RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



W10 cm

H1-2.5 cm

L50 cm

Please allow a +/- 5% tolerance for stone size and colour.

DS-11 Coverage (Per Box) : **10.5 ~ 10.8 sqf** | Weight (Per Box) : **29 kg** | Pieces (Per Box) : **20 pcs**




DS-118



DS-119

RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



W15 cm

H1-2.5 cm

L50 cm

Please allow a +/- 5% tolerance for stone size and colour.

PS-200 Coverage (Per Box) : **9.4 ~ 9.8 sqf** | Weight (Per Box) : **34 kg** | Pieces (Per Box) : **12 pcs**



PS-2006



DS-701



DS-053



DS-081



DS-702

RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.



DS-091



DS-093



DS-094


RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.




RECOMMENDED INSTALLATION DESIGN

- Arrange the stones in a zig zag pattern.
- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).



DS-703



Please allow a +/- 5% tolerance for stone size and colour.

DS-05		
Coverage (Per Box) :	Weight (Per Box) :	Pieces (Per Box) :
7.3 ~ 7.7 sqf	23 kg	14 ~ 18 pcs


RECOMMENDED INSTALLATION DESIGN

- Arrange the colors/shades randomly and evenly (you may try laying the stones on the floor first).
- Arrange your stones the way you like it. Our stone veneers come in different styles and colours, and can also be customized to fit the size you want.




Please allow a +/- 5% tolerance for stone size and colour. The packing coverage and length for DS-09XX are inclusive of 1cm groove lines

DS-09		
Coverage (Per Box) :	Weight (Per Box) :	Pieces (Per Box) :
5.9 ~ 6.2 sqf	27 kg	10 ~ 15 pcs



SIZES

- A** : 8.50 x 8.50cm
- B** : 8.50 x 18.0cm
- C** : 8.50 x 28.0cm
- D** : 8.50 x 38.0cm
- E** : 28.0 x 28.0cm
- F** : 28.0 x 18.5cm
- G** : 38.0 x 18.5cm
- H** : 38.0 x 28.0cm
- I** : 18.5 x 18.5cm



Please allow a +/- 5% tolerance for stone size and colour.

DS-08		
Coverage (Per Box) :	Weight (Per Box) :	Pieces (Per Box) :
6.2 ~ 6.6 sqf	26 kg	20 ~ 24 pcs

Please allow a +/- 5% tolerance for stone size and colour		
DS-70 Coverage (Per Box) : 10.2 ~ 11.0 sqf Weight (Per Box) : 35 kg Pieces (Per Box) : 12 pcs		

Corner Pieces & Accessories



AS-5201 (L) (44cm x 12cm x 5.5cm)



AS-5201 (M) (44cm x 12cm x 5.5cm)



AS-5201 (R) (44cm x 12cm x 5.5cm)

Recommended Products

KASTONE® Topcoat Stone Care

Topcoat for stone & other masonry surfaces for extra protection and durability.



High Gloss Finish:

An acrylic solvent-based topcoat allowing colour-enhancement and a glossy finish.

Natural Finish:

An environmentally-friendly water-based topcoat that maintains the original color.

Coverage & Packing:

High Gloss			Natural		
1L	4L	18L	1L	5L	18L
75 ~ 108sqf	301 ~ 431sqf	1,356 ~ 1,938sqf	75 ~ 108sqf	377 ~ 538sqf	1,356 ~ 1,938sqf

Suitable for:

- SUZUKA® KASTONE® & Trowel Stone
- Concrete Imprint
- Pebble Wash
- Bricks
- Natural Stone
- Stone / Brick Veneer

* Not recommended for pre-sealed surfaces or non-porous surfaces, such as ceramic tile, marble, granite, porcelain and terrazzo.

Features



Easy Application



UV Resistance



Long Lasting & High Endurance



High Adhesion



Water, Algae & Fungus Resistance



Stain Resistance & Easy Cleaning

KASTONE® GROUTING

FOR AN OPTIMAL EFFECT

★CG2 ENHANCED FORMULA

GM-16

GM-04

GM-03

GM-11

GM-12

GM-01

KASTONE® Grouting is a coloured, cementitious and sand-based grouting that is used to fill and support the joints between stones and bricks during installation. Formulated with coarse silica sand, synthetic resin, colour pigments, and water retentive additives, this durable material is applicable on any dry surface with widths between **4-15 mm**.

Coverage:

Model Code	Coverage (sqf/kg)	Depth (mm)	Width (mm)
DS-02	1.5 ~ 1.7 sqf/kg	0.6 ~ 0.8 cm	Random
DS-06/07	1.4 ~ 1.6 sqf/kg	0.6 ~ 0.8 cm	Random
DS-08	1.5 ~ 1.7 sqf/kg	0.9 ~ 1.1 cm	Random
DS-09/20	1.8 ~ 2.0 sqf/kg	0.8 ~ 1.0 cm	1 cm

Packing Size:

Weight	Packing
3.5 kg / pack	4 packs / box
1.0 kg / pack	14 packs / box

Features



Suitable for both interiors & exteriors



Anti-cracking



Available in a variety of colours & textures



Optimal for the authentic brick wall effect



Water-resistant



Compressible & expandable (in accordance with environmental factors)

SUZUKA® WALL SEALER PRO

“ Make your wall finishes last longer! ”

Superior primer for concrete, skimmed or masonry surfaces.

Packing Size:

1L 5L 20L



This sealer that has good substrate penetration abilities to increase adhesion of product to prevent chalking or peeling off. It has excellent alkaline resistance properties that can prevent efflorescence. It is an ideal base coat for any SUZUKA® or any wall finish products.

Coverage	Drying Time (hour)
6.5 - 8.5 m²/l/coat	Surface Dry : 1 Hard Dry : 5 Recoating : 5
	Substrate Temperature: 23°C - 26°C

Features:

- Excellent alkaline resistance to prevent efflorescence.
- Good for new walls and repainting.
- Prevents skim coat from chalking & peeling off.
- Extremely good penetration.
- Excellent adhesion.
- Exterior and interior use.
- Applicable with brush, roller or spray gun.

Suitable for:

- Masonry wall
- Brickwork
- Plaster
- Skimmed Coat
- Asbestos free substrate

Airless Spray	Nozzle	Spray Angle Degree	Pressure
	1.8 - 2.0 mm	65° - 80°	210 psi/150kg/cm²



KASTONE® Installation



Step 1 - Wall Surface Preparation

- Hack uniformly across the wall (using a small axe, drill, or hammer) to create a rough and pitted texture on the surface.
- Clean the surface to ensure it is free from dirt and dust.



Step 3 - Stone Application

- Complete this step starting from the bottom of the wall & moving upwards: Apply a thick layer of mortar onto the back side of a stone. Press the stone firmly onto the mortared wall surface, holding for a few seconds. Repeat this until the section is completed with stones. Use spacers if necessary to ensure a level arrangement.



Step 5 - Topcoat Application (Optional)

It is recommended to apply a topcoat layer of either SUZUKA® High Gloss or SUZUKA® Natural Stone Care. This helps enhance the protection of SUZUKA® Stone Veneer against dirt, oil, grease, water stains, fungus, mold and weather conditions.



Step 2 - Mortar Application

Apply a generous layer of mortar across the wall using the notched edge of a trowel, creating a "combed" surface pattern.



Step 4 - Cleaning Up

Once the stones are firmly affixed, clean the surface with a dry brush to clear the stones of any dust.




KASTONE® Packing Data

MODEL	DIMENSION (cm)	FLAT BRICK			CORNER BRICK					
		COVERAGE PER BOX (sqf)	WEIGHT PER BOX (kg)	PIECES PER BOX	DIMENSION (cm)	COVERAGE PER BOX (f)	WEIGHT PER BOX (kg)	PIECES PER BOX	BOXES/PALLET (Flat/Corner)	M ³ /PALLET (Flat/Corner)
DS-19 Series	W28.5 x L48.5 x H7	3.7 ~ 4.2	33	3	-	-	-	-	30 / -	1.28 / -
DS-17 Series	Random	5.9 ~ 6.3	22	24 ~ 27	-	-	-	-	24 / -	1.00 / -
KST-100 Series	W20 x L60	7.6 ~ 7.8	22	6	-	-	-	-	48 / -	1.14 / -
PS-200 Series	W15 x L50	9.4 ~ 9.8	34	12	-	-	-	-	24 / -	1.34 / -
DS-11 Series	W10 x L50	10.5 ~ 10.8	29	20	-	-	-	-	32 / -	0.9 / -
DS-00 Series	W10 x L20, 30, 50	6.9 ~ 7.6	23	14	W10 x S6 x L15, 25	5.1 ~ 5.3	20	16	32 / 32	1.12 / 1.12
DS-01 Series	W10 x L20, 30, 50	5.9 ~ 6.5	21	12	W10 x S6 x L15, 25	5.1 ~ 5.3	20	16	32 / 32	1.12 / 1.12
DS-40 Series	W10 x L20, 30, 50	6.9 ~ 7.6	23	14	W10 x S6 x L15, 25	5.1 ~ 5.3	20	16	32 / 32	1.12 / 1.12
DS-02 Series	Random	6.2 ~ 6.5	22	17 ~ 21	Random	5.1 ~ 5.3	27	16 ~ 18	24 / 20	1.10 / 1.10
DS-024, 025	Random	5.8 ~ 6.2	26	20 ~ 24	Random	4.8 ~ 5.1	31	16 ~ 18	20 / 20	1.28 / 1.28
DS-30 Series	W12 x L40	7.2 ~ 7.8	27	16	W12 x S10 x L20	6.1 ~ 6.3	26	16	24 / 24	1.28 / 1.28
DS-70 Series	W19 x L47.5	10.2 ~ 11.0	35	12	W19 x S6 x L16	8.3 ~ 8.7	33	14	24 / 24	1.15 / 1.15
DS-03 Series	W18 x L9, 18, 28	6.8 ~ 7.2	26	19 ~ 23	W18 x S6 x L16, 25	4.9 ~ 5.1	18	8	32 / 32	1.12 / 1.12
DS-04 Series	Random	7.0 ~ 7.4	22	17 ~ 21	Random	5.9 ~ 6.1	21	8	24 / 24	1.12 / 1.12
DS-05 Series	W19 x L10, 20, 30, 40, 50	7.3 ~ 7.7	23	14 ~ 18	-	-	-	-	32 / -	1.12 / -
DS-06 Series	Random	6.3 ~ 6.7	27	21 ~ 24	Random	5.1 ~ 5.3	24	12 ~ 16	20 / 20	1.12 / 1.28
DS-07 Series	Random	5.9 ~ 6.3	21	12 ~ 14	Random	5.9 ~ 6.1	21	7 ~ 8	24 / 20	1.10 / 1.28
DS-08 Series	Random	6.2 ~ 6.6	26	20 ~ 24	Random	4.9 ~ 5.1	26	15	24 / 20	1.11 / 1.28
DS-09 Series	Random	5.9 ~ 6.2	27	10 ~ 15	Random	5.1 ~ 5.3	23	12	24 / 20	1.11 / 1.28
DS-20 Series	Random	6.2 ~ 6.5	23	6 ~ 9	-	-	-	-	32 / -	1.10 / -
DS-80 Series	Random	10.5 ~ 10.8	32	35	Random	7.5 ~ 7.8	26	40	24 / 24	1.34 / 1.34
DS-60 Series	W12 x L43	6.1 ~ 6.5	24	12	-	-	-	-	48 / -	1.25 / -
WS-100 Series	W19 x L19	4.8	17	12	-	-	-	-	48 / -	1.05 / -
WS-200 Series	W9.5 x L19	4.6	17	24	-	-	-	-	48 / -	1.05 / -
WS-300 Series	W12 x L60	10.5 ~ 10.7	25.2	14	-	-	-	-	36 / -	1.10 / -
AS-520 Series	W12 x L44	4.3 ~ 4.5	3.5/pc	12	-	-	-	-	- / -	- / -

*Please allow a +/- 5% tolerance for stone size and colour. *May vary in colour due to lighting conditions and printing. We suggest you examine product samples before ordering.

Calculation of Wall Coverage:



Surface Dimension:

- A = 10' x 6' = 60 sqf
- B = 10' x 4' = 40 sqf
- C = 10' x 2' = 20 sqf
- D = 10' x 2' = 20 sqf
- E = 10' x 2' = 20 sqf

Total = 160 sqf

Example for DS-04 Series:

Flat = 160sqf - 2(10') (height of corners)
 = 140sqf / 7.4' (coverage per box)
= 19 boxes (estimate total box)

Corner = 2(10') / 6.1 (coverage per box)
= 4 boxes (estimate total box)

